

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Book

Search PubMed

for amyloid AND antibody AND N-terminus

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Limits: only items with abstracts, English

Display

Summary

Show: 200

Sort

Send to

Text

Text Version

Items 1-39 of 39

One page.

## Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

## PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

## Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

## Privacy Policy

- ☐ 1: [Leclercq PD, Stephenson MS, Murray LS, McIntosh TK, Graham DJ, Gentleman SM.](#) Related Articles, Links



Simple morphometry of axonal swellings cannot be used in isolation for dating lesions after traumatic brain injury.

J Neurotrauma. 2002 Oct;19(10):1183-92.

PMID: 12427327 [PubMed - indexed for MEDLINE]

- ☐ 2: [Kotilinek LA, Bacskai B, Westerman M, Kawarabayashi T, Younkin L, Hyman BT, Younkin S, Ashe KH.](#) Related Articles, Links



Reversible memory loss in a mouse transgenic model of Alzheimer's disease.

J Neurosci. 2002 Aug 1;22(15):6331-5.

PMID: 12151510 [PubMed - indexed for MEDLINE]

- ☐ 3: [Green KN, Boyle JP, Peers C.](#) Related Articles, Links



Hypoxia potentiates exocytosis and Ca<sup>2+</sup> channels in PC12 cells via increased amyloid beta peptide formation and reactive oxygen species generation.

J Physiol. 2002 Jun 15;541(Pt 3):1013-23.

PMID: 12068059 [PubMed - indexed for MEDLINE]

- ☐ 4: [Green KN, Peers C.](#) Related Articles, Links



Divergent pathways account for two distinct effects of amyloid beta peptides on exocytosis and Ca(2+) currents: involvement of ROS and NF-kappaB.

J Neurochem. 2002 Jun;81(5):1043-51.

PMID: 12065617 [PubMed - indexed for MEDLINE]

- ☐ 5: [Dickey CA, Morgan DG, Kudchodkar S, Weiner DB, Bai Y, Cao C, Gordon MN, Ugen KE.](#) Related Articles, Links



Duration and specificity of humoral immune responses in mice vaccinated with the Alzheimer's disease-associated beta-amyloid 1-42 peptide.

DNA Cell Biol. 2001 Nov;20(11):723-9.

PMID: 11788050 [PubMed - indexed for MEDLINE]

- ☐ 6: [Green KN, Peers C.](#) Related Articles, Links



Amyloid beta peptides mediate hypoxic augmentation of Ca(2+) channels.

J Neurochem. 2001 May;77(3):953-6.

PMID: 11331424 [PubMed - indexed for MEDLINE]

- ☐ 7: [Walter J, Fluhrer R, Hartung B, Willem M, Kaether C, Capell A, Lammich S, Multhaup G, Haass C.](#) Related Articles, Links





Phosphorylation regulates intracellular trafficking of beta-secretase.

J Biol Chem. 2001 May 4;276(18):14634-41.


PMID: 11278841 [PubMed - indexed for MEDLINE]


- ☐ 8: [Russo C, Salis S, Dolcini V, Venezia V, Song XH, Teller JK, Schettini G.](#) Related Articles, Links

-  **Amino-terminal modification and tyrosine phosphorylation of [corrected] carboxy-terminal fragments of the amyloid precursor protein in Alzheimer's disease and Down's syndrome brain.**  
Neurobiol Dis. 2001 Feb;8(1):173-80.  
PMID: 11162251 [PubMed - indexed for MEDLINE]


 **9:** [Stone JR, Singleton RH, Povlishock JT.](#)


[Related Articles, Links](#)

-  **Antibodies to the C-terminus of the beta-amyloid precursor protein (APP): a site specific marker for the detection of traumatic axonal injury.**  
Brain Res. 2000 Jul 21;871(2):288-302.  
PMID: 10899295 [PubMed - indexed for MEDLINE]


 **10:** [Piccini A, Ciotti MT, Vitolo OV, Calissano P, Tabaton M, Galli C.](#)

[Related Articles, Links](#)

-  **Endogenous APP derivatives oppositely modulate apoptosis through an autocrine loop.**  
Neuroreport. 2000 May 15;11(7):1375-9.  
PMID: 10841341 [PubMed - indexed for MEDLINE]


 **11:** [Taylor SC, Batten TF, Peers C.](#)


[Related Articles, Links](#)

-  **Hypoxic enhancement of quantal catecholamine secretion. Evidence for the involvement of amyloid beta-peptides.**  
J Biol Chem. 1999 Oct 29;274(44):31217-22.  
PMID: 10531316 [PubMed - indexed for MEDLINE]


 **12:** [Young MJ, Lee RK, Jhaveri S, Wurtman RJ.](#)


[Related Articles, Links](#)

-  **Intracellular and cell-surface distribution of amyloid precursor protein in cortical astrocytes.**  
Brain Res Bull. 1999 Sep 1;50(1):27-32.  
PMID: 10507468 [PubMed - indexed for MEDLINE]


 **13:** [Abraham CR, Marshall DC, Tibbles HE, Otto K, Long HJ, Billingslea AM, Haste R, Johnson R, Fine RE, Smith SJ, Simons ER, Davies TA.](#)


[Related Articles, Links](#)

-  **Platelets and DAMI megakaryocytes possess beta-secretase-like activity.**  
J Lab Clin Med. 1999 May;133(5):507-15.  
PMID: 10235134 [PubMed - indexed for MEDLINE]


 **14:** [Simons ER, Marshall DC, Long HJ, Otto K, Billingslea A, Tibbles H, Wells J, Eisenbauer P, Fine RE, Cribbs DH, Davies TA, Abraham CR.](#)


[Related Articles, Links](#)

-  **Blood brain barrier endothelial cells express candidate amyloid precursor protein-cleaving secretases.**  
Amyloid. 1998 Sep;5(3):153-62.  
PMID: 9818052 [PubMed - indexed for MEDLINE]


 **15:** [Hayashi Y, Fukatsu R, Tsuzuki K, Yoshida T, Sasaki N, Kimura K, Yamaguchi H, St George-Hyslop PH, Fujii N, Takahata N.](#)

[Related Articles, Links](#)

-  **Evidence for presenilin-1 involvement in amyloid angiopathy in the Alzheimer's disease-affected brain.**  
Brain Res. 1998 Apr 13;789(2):307-14.  
PMID: 9573389 [PubMed - indexed for MEDLINE]

 **16:** [Singhrao SK, Thomas P, Wood JD, MacMillan JC, Neal JW, Harper PS, Jones AL.](#)


[Related Articles, Links](#)


-  **Huntingtin protein colocalizes with lesions of neurodegenerative diseases: An investigation in Huntington's, Alzheimer's, and Pick's diseases.**  
Exp Neurol. 1998 Apr;150(2):213-22.  
PMID: 9527890 [PubMed - indexed for MEDLINE]


[Yanagisawa K, Ihara Y.](#)


[Related Articles, Links](#)


 17:


-  GM1 ganglioside-bound amyloid beta-protein in Alzheimer's disease brain.  
Neurobiol Aging. 1998 Jan-Feb;19(1 Suppl):S65-7.  
PMID: 9562471 [PubMed - indexed for MEDLINE]


 18: Busciglio J, Hartmann H, Lorenzo A, Wong C, Baumann K, Sommer B, Staufenbiel M, Yankner BA. [Related Articles, Links](#)

-  Neuronal localization of presenilin-1 and association with amyloid plaques and neurofibrillary tangles in Alzheimer's disease.  
J Neurosci. 1997 Jul 1;17(13):5101-7.  
PMID: 9185547 [PubMed - indexed for MEDLINE]


 19: Ghisso J, Calero M, Matsubara E, Governale S, Chuba J, Beavis R, Wisniewski T, Frangione B. [Related Articles, Links](#)


-  Alzheimer's soluble amyloid beta is a normal component of human urine.  
FEBS Lett. 1997 May 12;408(1):105-8.  
PMID: 9180278 [PubMed - indexed for MEDLINE]


 20: Matsumoto A, Enomoto T, Fujiwara Y, Baba H, Matsumoto R. [Related Articles, Links](#)


-  Enhanced aggregation of beta-amyloid-containing peptides by extracellular matrix and their degradation by the 68 kDa serine protease prepared from human brain.  
Neurosci Lett. 1996 Dec 20;220(3):159-62.  
PMID: 8994217 [PubMed - indexed for MEDLINE]


 21: Stephens DJ, Austen BM. [Related Articles, Links](#)


-  Metabolites of the beta-amyloid precursor protein generated by beta-secretase localise to the trans-Golgi network and late endosome in 293 cells.  
J Neurosci Res. 1996 Oct 15;46(2):211-25.  
PMID: 8915898 [PubMed - indexed for MEDLINE]


 22: Conn KJ, Pietropaolo M, Ju ST, Abraham CR. [Related Articles, Links](#)


-  Monoclonal antibodies against the human metalloprotease EC 3.4.24.15 label neurofibrillary tangles in Alzheimer's disease brain.  
J Neurochem. 1996 May;66(5):2011-8.  
PMID: 8780030 [PubMed - indexed for MEDLINE]


 23: Szendrei GI, Prammer KV, Vasko M, Lee VM, Otvos L Jr. [Related Articles, Links](#)










-  The effects of aspartic acid-bond isomerization on in vitro properties of the amyloid beta-peptide as modeled with N-terminal decapeptide fragments.  
Int J Pept Protein Res. 1996 Apr;47(4):289-96.  
PMID: 8738655 [PubMed - indexed for MEDLINE]

 24: Jeffrey M, Goodsir CM, Fowler N, Hope J, Bruce ME, McBride PA. [Related Articles, Links](#)

-  Ultrastructural immuno-localization of synthetic prion protein peptide antibodies in 87V murine scrapie.  
Neurodegeneration. 1996 Mar;5(1):101-9.  
PMID: 8731389 [PubMed - indexed for MEDLINE]

 25: Tsuzuki K, Fukatsu R, Takamaru Y, Yoshida T, Hayashi Y, Yamaguchi H, Fujii N, Takahata N. [Related Articles, Links](#)

-  Amyloid beta protein in rat soleus muscle in chloroquine-induced myopathy using end-specific antibodies for A beta 40 and A beta 42: immunohistochemical evidence for amyloid beta protein.  
Neurosci Lett. 1995 Dec 29;202(1-2):77-80.  
PMID: 8787835 [PubMed - indexed for MEDLINE]

-  **26:** Argiles A, Garcia-Garcia M, Derancourt J, Mourad G, Demaille JG. [Related Articles](#), [Links](#)  
Beta 2 microglobulin isoforms in healthy individuals and in amyloid deposits.  
Kidney Int. 1995 Nov;48(5):1397-405.  
PMID: 8544395 [PubMed - indexed for MEDLINE]
-  **27:** Piccardo P, Ghetti B, Dickson DW, Vinters HV, Giaccone G, Bugiani O, Tagliavini F, Young K, Dlouhy SR, Seiler C, et al. [Related Articles](#), [Links](#)  
Gerstmann-Straussler-Scheinker disease (PRNP P102L): amyloid deposits are best recognized by antibodies directed to epitopes in PrP region 90-165.  
J Neuropathol Exp Neurol. 1995 Nov;54(6):790-801.  
PMID: 7595652 [PubMed - indexed for MEDLINE]
-  **28:** Matsumoto A, Matsumoto R, Baba H, Fujiwara Y. [Related Articles](#), [Links](#)  
A serine protease in Alzheimer's disease cells cleaves a 16K-peptide with flanking residues upstream to beta-amyloid-N-terminus as natural substrate.  
Neurosci Lett. 1995 Aug 11;195(3):171-4.  
PMID: 8584202 [PubMed - indexed for MEDLINE]
-  **29:** Simons M, Ikonen E, Tienari PJ, Cid-Arregui A, Monning U, Beyreuther K, Dotti CG. [Related Articles](#), [Links](#)  
Intracellular routing of human amyloid protein precursor: axonal delivery followed by transport to the dendrites.  
J Neurosci Res. 1995 May 1;41(1):121-8.  
PMID: 7674373 [PubMed - indexed for MEDLINE]
-  **30:** Jakes R, Harrington CR, Spillantini MG, Goedert M, Klug A. [Related Articles](#), [Links](#)  
Characterisation of an antibody relevant to the neuropathology of Alzheimer disease.  
Alzheimer Dis Assoc Disord. 1995 Spring;9(1):47-51.  
PMID: 7605621 [PubMed - indexed for MEDLINE]
-  **31:** Dreyer RN, Bausch KM, Fracasso P, Hammond LJ, Wunderlich D, Wirak DO, Davis G, Brini CM, Buckholz TM, Konig G, et al. [Related Articles](#), [Links](#)  
Processing of the pre-beta-amyloid protein by cathepsin D is enhanced by a familial Alzheimer's disease mutation.  
Eur J Biochem. 1994 Sep 1;224(2):265-71.  
PMID: 7523115 [PubMed - indexed for MEDLINE]
-  **32:** Matsumoto A, Fujiwara Y. [Related Articles](#), [Links](#)  
Ca(2+)-dependent 68-kilodalton protease in familial Alzheimer's disease cells cleaves the N-terminus of beta-amyloid.  
Biochemistry. 1994 Apr 5;33(13):3941-8.  
PMID: 8142398 [PubMed - indexed for MEDLINE]
-  **33:** Beeson JG, Shelton ER, Chan HW, Gage FH. [Related Articles](#), [Links](#)  
Differential distribution of amyloid protein precursor immunoreactivity in the rat brain studied by using five different antibodies.  
J Comp Neurol. 1994 Apr 1;342(1):78-96.  
PMID: 8207129 [PubMed - indexed for MEDLINE]
-  **34:** Askanas V, Engel WK, Alvarez RB. [Related Articles](#), [Links](#)  
Strong immunoreactivity of beta-amyloid precursor protein, including the beta-amyloid protein sequence, at human neuromuscular junctions.  
Neurosci Lett. 1992 Aug 31;143(1-2):96-100.  
PMID: 1436686 [PubMed - indexed for MEDLINE]

☐ 35: [Shioi J, Anderson JP, Ripellino JA, Robakis NK.](#)

[Related Articles](#), [Links](#)



Chondroitin sulfate proteoglycan form of the Alzheimer's beta-amyloid precursor.

J Biol Chem. 1992 Jul 15;267(20):13819-22.  
PMID: 1629183 [PubMed - indexed for MEDLINE]

☐ 36: [Ghisso J, Wisniewski T, Vidal R, Rostagno A, Frangione B.](#)

[Related Articles](#), [Links](#)



Epitope map of two polyclonal antibodies that recognize amyloid lesions in patients with Alzheimer's disease.

Biochem J. 1992 Mar 1;282 ( Pt 2):517-22.  
PMID: 1372166 [PubMed - indexed for MEDLINE]

☐ 37: [Linke RP, Geisel O, Mann K.](#)

[Related Articles](#), [Links](#)



Equine cutaneous amyloidosis derived from an immunoglobulin lambda-light chain. Immunohistochemical, immunochemical and chemical results.

Biol Chem Hoppe Seyler. 1991 Sep;372(9):835-43.  
PMID: 1772596 [PubMed - indexed for MEDLINE]

☐ 38: [Tate-Ostroff B, Majocha RE, Walcott EC, Ventosa-Michelman M, Marotta CA.](#)

[Related Articles](#), [Links](#)



Colocalization of amino terminal and A4 (beta-amyloid) antigens in Alzheimer plaques: evidence for coordinated processing of the amyloid precursor protein.

J Geriatr Psychiatry Neurol. 1990 Jul-Sep;3(3):139-45.  
PMID: 2126439 [PubMed - indexed for MEDLINE]

☐ 39: [Fykse EM, Sletten K, Husby G, Cornwell GG 3rd.](#)

[Related Articles](#), [Links](#)



The primary structure of the variable region of an immunoglobulin IV light-chain amyloid-fibril protein (AL GIL).

Biochem J. 1988 Dec 15;256(3):973-80.  
PMID: 3146981 [PubMed - indexed for MEDLINE]

Display  Show:

Items 1-39 of 39

One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

May 2 2003 16:34:23